



EmisACET_Biogenic (Jan2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisALD2_Biogenic (Jan2019)

GCC_14.2.0 (Ref)
4.0x5.0




0.0 1.5 3.0 $1e-11$
kg/m²/s

GCHP_14.2.0 (Dev)
c24




0.0 1.5 3.0 $1e-11$
kg/m²/s

Difference (1x1.25)
Dev - Ref, Dynamic Range




-1.5 0.0 1.5 $1e-11$
kg/m²/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-2.5 0.0 2.5 $1e-13$
kg/m²/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-05 1e-03 1e-01 10 1000 1e+05
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisC2H4_Biogenic (Jan2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisEOH_Biogenic (Jan2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisSOP_Biogenic (Jan2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisLIMO_Biogenic (Jan2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMOH_Biogenic (Jan2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMTPA_Biogenic (Jan2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMTPO_Biogenic (Jan2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisPRPE_Biogenic (Jan2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisSOAP_Biogenic (Jan2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisSOAS_Biogenic (Jan2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ratio (1x1.25)
Dev/Ref, Fixed Range

