



EmisACET_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisACTA_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisALD2_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisALK4_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisBCPI_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisBCPO_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisBENZ_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisC2H2_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisC2H4_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisC2H6_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisC3H8_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisCH2O_BioBurn (Jul2019)

GCC_14.2.0 (Ref)
4.0x5.0




0.0 0.5 1.0 1.5
kg/m²/s 1e-10

GCHP_14.2.0 (Dev)
c24




0.0 0.5 1.0 1.5
kg/m²/s 1e-10

Difference (1x1.25)
Dev - Ref, Dynamic Range




-8 0 8
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-5 0 5
kg/m²/s 1e-14

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


EmisCO2_BioBurn (Jul2019)

GCC_14.2.0 (Ref)
4.0x5.0



Zero throughout domain
kg/m2/s

GCHP_14.2.0 (Dev)
c24




Zero throughout domain
kg/m2/s

Difference (1x1.25)
Dev - Ref, Dynamic Range




Zero throughout domain
kg/m2/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Zero throughout domain
kg/m2/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



Undefined throughout domain
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



Undefined throughout domain
unitless


EmisCO_BioBurn (Jul2019)

GCC_14.2.0 (Ref)
4.0x5.0




0.0 0.4 0.8 1.2
kg/m²/s 1e-8

GCHP_14.2.0 (Dev)
c24




0.0 0.4 0.8 1.2
kg/m²/s 1e-8

Difference (1x1.25)
Dev - Ref, Dynamic Range




-6 0 6
kg/m²/s 1e-9

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-3 0 3
kg/m²/s 1e-12

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisEOH_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisFURA_BioBurn (Jul2019)

GCC_14.2.0 (Ref)
4.0x5.0




0.0 2.5 5.0 7.5
kg/m²/s 1e-11

GCHP_14.2.0 (Dev)
c24




0.0 2.5 5.0 7.5
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




-4 0 4
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-3 0 3
kg/m²/s 1e-14

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisGLYX_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisISOP_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMEK_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMGLY_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMOH_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMTPA_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMVK_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisNAP_BioBurn (Jul2019)

GCC_14.2.0 (Ref)
4.0x5.0




Zero throughout domain
kg/m2/s

GCHP_14.2.0 (Dev)
c24




Zero throughout domain
kg/m2/s

Difference (1x1.25)
Dev - Ref, Dynamic Range



Zero throughout domain
kg/m2/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




Zero throughout domain
kg/m2/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



Undefined throughout domain
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




Undefined throughout domain
unitless

EmisNH3_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisNO_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisOCPI_BioBurn (Jul2019)

GCC_14.2.0 (Ref)
4.0x5.0



0.0 1.5 3.0 4.5
kg/m²/s 1e-10

GCHP_14.2.0 (Dev)
c24




0.0 1.5 3.0 4.5
kg/m²/s 1e-10

Difference (1x1.25)
Dev - Ref, Dynamic Range




-2.5 0.0 2.5
kg/m²/s 1e-10

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-6 0 6
kg/m²/s 1e-14

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisOCPO_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisPHEN_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisPOG1_BioBurn (Jul2019)

GCC_14.2.0 (Ref)
4.0x5.0




Zero throughput domain
kg/m2/s

GCHP_14.2.0 (Dev)
c24



Zero throughput domain
kg/m2/s

Difference (1x1.25)
Dev - Ref, Dynamic Range




Zero throughput domain
kg/m2/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




Zero throughput domain
kg/m2/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



Undefined throughput domain
unitless

Ratio (1x1.25)
Dev/Ref, Fixed Range



Undefined throughput domain
unitless

EmisPOG2_BioBurn (Jul2019)

GCC_14.2.0 (Ref)
4.0x5.0



Zero throughout domain
kg/m2/s

GCHP_14.2.0 (Dev)
c24




Zero throughout domain
kg/m2/s

Difference (1x1.25)
Dev - Ref, Dynamic Range



Zero throughout domain
kg/m2/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Zero throughout domain
kg/m2/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



Undefined throughout domain
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




Undefined throughout domain
unitless

EmisPRPE_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisRCHO_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisSO2_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisSOAP_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisTOLU_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisXYLE_BioBurn (Jul2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ratio (1x1.25)
Dev/Ref, Fixed Range

