



SpeciesConcVV_H2O2 (Apr2019)

GCC_14.2.0 (Ref)
4.0x5.0




0.002 0.803 1.606 2.409 3.214
ppb

GCHP_14.2.0 (Dev)
c24




0.002 0.803 1.606 2.409 3.214
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-1.315 -0.658 0.000 0.658 1.315
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.1015 -0.0508 0.0000 0.0508 0.1015
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.241 0.621 1.000 2.573 4.147
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVW_H (Apr2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





SpeciesConcVV_H2 (Apr2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVW_H2O (Apr2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVW_HO2 (Apr2019)

GCC_14.2.0 (Ref)
4.0x5.0




0.004 0.008 0.012
ppb

GCHP_14.2.0 (Dev)
c24




0.004 0.008 0.012
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.002 0.000 0.002
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.00025 0.00000 0.00025
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.272 0.636 1.000 2.338 3.677
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVW_01D (Apr2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_OH (Apr2019)

GCC_14.2.0 (Ref)
4.0x5.0




0.00005 0.00010 0.00015
ppb

GCHP_14.2.0 (Dev)
c24




0.00005 0.00010 0.00015
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-4 0 4
ppb $1e-5$

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-5 0 5
ppb $1e-6$

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.122 0.561 1.000 4.590 8.180
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_R02 (Apr2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ratio (1x1.25)
Dev/Ref, Fixed Range

