



SpeciesConcVV_H2O2 (Oct2019)

GCC_14.2.0 (Ref)
4.0x5.0




0.128 0.435 0.871 1.306 1.870
ppb

GCHP_14.2.0 (Dev)
c24




0.128 0.435 0.871 1.306 1.870
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.522 -0.261 0.000 0.261 0.522
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.0559 -0.0279 0.0000 0.0279 0.0559
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.535 0.767 1.000 1.435 1.869
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVW_H (Oct2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_H2 (Oct2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





SpeciesConcVW_H2O (Oct2019)



GCC_14.2.0 (Ref)
4.0x5.0





GCHP_14.2.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVW_HO2 (Oct2019)

GCC_14.2.0 (Ref)
4.0x5.0




0.004 0.008 0.012
ppb

GCHP_14.2.0 (Dev)
c24




0.004 0.008 0.012
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.002 0.000 0.002
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.0002 0.0000 0.0002
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.427 0.714 1.000 1.670 2.340
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVW_01D (Oct2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_OH (Oct2019)

GCC_14.2.0 (Ref)
4.0x5.0




0.00008 0.00016 0.00024
ppb

GCHP_14.2.0 (Dev)
c24




0.00008 0.00016 0.00024
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-3 0 3
ppb $1e-5$

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-4 0 4
ppb $1e-6$

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.361 0.681 1.000 1.884 2.768
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_R02 (Oct2019)


GCC_14.2.0 (Ref)
4.0x5.0




GCHP_14.2.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ratio (1x1.25)
Dev/Ref, Fixed Range

