



WetLossConv_Be10 (AnnualMean)

GCC_14.2.0 (Ref), Normalized by Area
4.0x5.0




0.0 1.5 3.0 4.5
kg s-1 m-2 1e-25

GCHP_14.2.0 (Dev), Normalized by Area
c24




0.0 1.5 3.0 4.5
kg s-1 m-2 1e-25

Difference (1x1.25)
Dev - Ref, Dynamic Range




-2 0 2
kg s-1 m-2 1e-25

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5
kg s-1 m-2 1e-26

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-05 1e-02 10 1e4 1e+07
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

WetLossConv_Be10s (AnnualMean)


GCC_14.2.0 (Ref), Normalized by Area
4.0x5.0




GCHP_14.2.0 (Dev), Normalized by Area
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




WetLossConv_Be7 (AnnualMean)

GCC_14.2.0 (Ref), Normalized by Area
4.0x5.0




0.0 0.4 0.8 1.2
kg s-1 m-2 1e-25

GCHP_14.2.0 (Dev), Normalized by Area
c24




0.0 0.4 0.8 1.2
kg s-1 m-2 1e-25

Difference (1x1.25)
Dev - Ref, Dynamic Range




-4 0 4
kg s-1 m-2 1e-26

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-3 0 3
kg s-1 m-2 1e-27

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-05 1e-02 10 1e4 1e+07
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

WetLossConv_Be7s (AnnualMean)


GCC_14.2.0 (Ref), Normalized by Area
4.0x5.0




GCHP_14.2.0 (Dev), Normalized by Area
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




WetLossConv_Pb210 (AnnualMean)

GCC_14.2.0 (Ref), Normalized by Area
4.0x5.0




0.0 2.5 5.0 7.5
kg s-1 m-2 1e-23

GCHP_14.2.0 (Dev), Normalized by Area
c24




0.0 2.5 5.0 7.5
kg s-1 m-2 1e-23

Difference (1x1.25)
Dev - Ref, Dynamic Range




-2 0 2
kg s-1 m-2 1e-23

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-8 0 8
kg s-1 m-2 1e-25

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-05 1e-03 1e-01 10 1000 1e+05
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

WetLossConv_Pb210s (AnnualMean)


GCC_14.2.0 (Ref), Normalized by Area
4.0x5.0




GCHP_14.2.0 (Dev), Normalized by Area
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ratio (1x1.25)
Dev/Ref, Fixed Range

