



EmisACET_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisACTA_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisALD2_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisALK4_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisBCPI_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisBCPO_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisBENZ_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisC2H2_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisC2H4_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisC2H6_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisC3H8_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisCH2O_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisCO_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisEOH_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisFURA_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisGLYX_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisISOP_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisMEK_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisMGLY_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisMOH_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisMTPA_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisMVK_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisNH3_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisNO_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisOCPI_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisOCPO_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisPHEN_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisPRPE_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisRCHO_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisSO2_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisSOAP_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisTOLU_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




EmisXYLE_BioBurn (Oct2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range



Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range



Ratio
Dev/Ref, Fixed Range

