



SpeciesConcVV_H2O2 (Jan2019)

14.2.0-rc.2 (Ref)
4.0x5.0




0.062 0.515 0.968 1.421 1.874
ppb

14.3.0-rc.0 (Dev)
4.0x5.0




0.062 0.515 0.968 1.421 1.874
ppb

Difference
Dev - Ref, Dynamic Range




-0.025 0.000 0.025
ppb

Difference
Dev - Ref, Restricted Range [5%,95%]



-0.006 0.000 0.006
ppb

Ratio
Dev/Ref, Dynamic Range



0.97274 0.98637 1.00000 1.01401 1.02802
unitless


Ratio
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_H (Jan2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range





Ratio
Dev/Ref, Fixed Range





SpeciesConcVW_H2 (Jan2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range





Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




SpeciesConcVV_H2O (Jan2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




SpeciesConcVV_HO2 (Jan2019)

14.2.0-rc.2 (Ref)
4.0x5.0




0.004 0.008 0.012
ppb

14.3.0-rc.0 (Dev)
4.0x5.0




0.004 0.008 0.012
ppb

Difference
Dev - Ref, Dynamic Range




-0.0002 0.0000 0.0002
ppb

Difference
Dev - Ref, Restricted Range [5%,95%]



-8 0 8
ppb $1e-5$

Ratio
Dev/Ref, Dynamic Range



0.96483 0.98242 1.00000 1.01822 1.03645
unitless



Ratio
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_01D (Jan2019)



14.2.0-rc.2 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
4.0x5.0





Difference
Dev - Ref, Dynamic Range





Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




SpeciesConcVV_OH (Jan2019)

14.2.0-rc.2 (Ref)
4.0x5.0




0.00008 0.00016 0.00024
ppb

14.3.0-rc.0 (Dev)
4.0x5.0




0.00008 0.00016 0.00024
ppb

Difference
Dev - Ref, Dynamic Range




-5 0 5
ppb $1e-6$

Difference
Dev - Ref, Restricted Range [5%,95%]



-1.5 0.0 1.5
ppb $1e-6$

Ratio
Dev/Ref, Dynamic Range



0.96390 0.98195 1.00000 1.01872 1.03745
unitless


Ratio
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_RO2 (Jan2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range



Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range



Ratio
Dev/Ref, Fixed Range

