



SpeciesConcVV_H2O2 (Jan2019)

14.2.0-rc.2 (Ref)
4.0x5.0




0.000 0.825 1.651 2.476 3.301
ppb

14.3.0-rc.0 (Dev)
4.0x5.0




0.000 0.825 1.651 2.476 3.301
ppb

Difference
Dev - Ref, Dynamic Range




-0.0817 -0.0409 0.0000 0.0409 0.0817
ppb

Difference
Dev - Ref, Restricted Range [5%,95%]




-0.008 0.000 0.008
ppb

Ratio
Dev/Ref, Dynamic Range



0.8581 0.9290 1.0000 1.0827 1.1654
unitless


Ratio
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


SpeciesConcVV_H (Jan2019)

14.2.0-rc.2 (Ref)
4.0x5.0




0.4 0.8 1.2
ppb $1e-11$

14.3.0-rc.0 (Dev)
4.0x5.0




0.4 0.8 1.2
ppb $1e-11$

Difference
Dev - Ref, Dynamic Range




-1.5 0.0 1.5
ppb $1e-12$

Difference
Dev - Ref, Restricted Range [5%,95%]




-5 0 5
ppb $1e-13$

Ratio
Dev/Ref, Dynamic Range



0.545 0.772 1.000 1.418 1.836
unitless


Ratio
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVW_H2 (Jan2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




SpeciesConcVV_H2O (Jan2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range




Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




SpeciesConcVV_HO2 (Jan2019)

14.2.0-rc.2 (Ref)
4.0x5.0




0.005 0.010 0.015
ppb

14.3.0-rc.0 (Dev)
4.0x5.0




0.005 0.010 0.015
ppb

Difference
Dev - Ref, Dynamic Range




-0.0002 0.0000 0.0002
ppb

Difference
Dev - Ref, Restricted Range [5%,95%]




-0.0001 0.0000 0.0001
ppb

Ratio
Dev/Ref, Dynamic Range



0.7844 0.8922 1.0000 1.1375 1.2749
unitless



Ratio
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_01D (Jan2019)



14.2.0-rc.2 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
4.0x5.0





Difference
Dev - Ref, Dynamic Range





Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range




Ratio
Dev/Ref, Fixed Range




SpeciesConcVV_OH (Jan2019)

14.2.0-rc.2 (Ref)
4.0x5.0




0.00005 0.00010 0.00015
ppb

14.3.0-rc.0 (Dev)
4.0x5.0




0.00005 0.00010 0.00015
ppb

Difference
Dev - Ref, Dynamic Range




-6 0 6
ppb $1e-6$

Difference
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5
ppb $1e-6$

Ratio
Dev/Ref, Dynamic Range



0.8246 0.9123 1.000 1.1063 1.2127
unitless


Ratio
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_RO2 (Jan2019)


14.2.0-rc.2 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
4.0x5.0




Difference
Dev - Ref, Dynamic Range



Difference
Dev - Ref, Restricted Range [5%,95%]



Ratio
Dev/Ref, Dynamic Range



Ratio
Dev/Ref, Fixed Range

