



# SpeciesConcVV\_DST1 (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0015 0.2071 0.4128 0.6184 0.8240  
 $\mu\text{g}/\text{m}^3$

14.3.0-rc.0 (Dev)  
c24




0.0015 0.2071 0.4128 0.6184 0.8240  
 $\mu\text{g}/\text{m}^3$

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-0.806 -0.403 0.000 0.403 0.806  
 $\mu\text{g}/\text{m}^3$

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-0.1039 -0.0519 0.0000 0.0519 0.1039  
 $\mu\text{g}/\text{m}^3$

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



0.216 0.608 1.000 2.819 4.638  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00  
unitless


# SpeciesConcVV\_DST2 (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0000 0.0733 0.1466 0.2199 0.2932  
µg/m<sup>3</sup>

14.3.0-rc.0 (Dev)  
c24




0.0000 0.0733 0.1466 0.2199 0.2932  
µg/m<sup>3</sup>

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-0.4095 -0.2047 0.0000 0.2047 0.4095  
µg/m<sup>3</sup>

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-0.025 0.000 0.025  
µg/m<sup>3</sup>

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-01 1 10  
unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless




# SpeciesConcVV\_DST3 (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0000 0.0824 0.1649 0.2473 0.3298  
 $\mu\text{g}/\text{m}^3$

14.3.0-rc.0 (Dev)  
c24




0.0000 0.0824 0.1649 0.2473 0.3298  
 $\mu\text{g}/\text{m}^3$

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-0.542 -0.271 0.000 0.271 0.542  
 $\mu\text{g}/\text{m}^3$

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-0.0549 -0.0275 0.0000 0.0275 0.0549  
 $\mu\text{g}/\text{m}^3$

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-01 1 10  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# SpeciesConcVV\_DST4 (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# SpeciesConcVV\_NH4 (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0



0.0001 0.1486 0.2970 0.4455 0.5940  
µg/m3

14.3.0-rc.0 (Dev)  
c24




0.0001 0.1486 0.2970 0.4455 0.5940  
µg/m3

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-0.2971 -0.1486 0.0000 0.1486 0.2971  
µg/m3

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-0.006 0.000 0.006  
µg/m3

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



0.168 0.584 1.000 3.472 5.944  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00  
unitless


# SpeciesConcVV\_NIT (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0



0.0000 0.2437 0.4875 0.7312 0.9749  
 $\mu\text{g}/\text{m}^3$

14.3.0-rc.0 (Dev)  
c24




0.0000 0.2437 0.4875 0.7312 0.9749  
 $\mu\text{g}/\text{m}^3$

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-0.4416 -0.2208 0.0000 0.2208 0.4416  
 $\mu\text{g}/\text{m}^3$

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-0.008 0.000 0.008  
 $\mu\text{g}/\text{m}^3$

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-05 1e-03 1e-01 10 1000 1e+05  
unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless




# SpeciesConcVV\_SO4 (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0056 0.2043 0.4030 0.6017 0.8004  
 $\mu\text{g}/\text{m}^3$

14.3.0-rc.0 (Dev)  
c24




0.0056 0.2043 0.4030 0.6017 0.8004  
 $\mu\text{g}/\text{m}^3$

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-0.4706 -0.2353 0.0000 0.2353 0.4706  
 $\mu\text{g}/\text{m}^3$

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-0.02 0.00 0.02  
 $\mu\text{g}/\text{m}^3$

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



0.242 0.621 1.000 2.566 4.132  
unitless



Ratio (1x1.25)  
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00  
unitless

# SpeciesConcVV\_HMS (Jan2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24





Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# SpeciesConcVV\_BCPI (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.025 0.050 0.075  
µg/m<sup>3</sup>

14.3.0-rc.0 (Dev)  
c24




0.025 0.050 0.075  
µg/m<sup>3</sup>

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-0.025 0.000 0.025  
µg/m<sup>3</sup>

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-0.001 0.000 0.001  
µg/m<sup>3</sup>

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



0.172 0.586 1.000 3.410 5.820  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# SpeciesConcVV\_BCPO (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# SpeciesConcVW\_OCPI (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0000 0.0622 0.1244 0.1865 0.2487  
µg/m3

14.3.0-rc.0 (Dev)  
c24




0.0000 0.0622 0.1244 0.1865 0.2487  
µg/m3

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-0.1197 -0.0599 0.0000 0.0599 0.1197  
µg/m3

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-0.003 0.000 0.003  
µg/m3

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



0.202 0.601 1.000 2.973 4.946  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# SpeciesConcVV\_OCPO (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# SpeciesConcVV\_Complex\_SOA (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.02 0.04 0.06  
 $\mu\text{g}/\text{m}^3$

14.3.0-rc.0 (Dev)  
c24




0.02 0.04 0.06  
 $\mu\text{g}/\text{m}^3$

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-0.025 0.000 0.025  
 $\mu\text{g}/\text{m}^3$

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-0.0015 0.0000 0.0015  
 $\mu\text{g}/\text{m}^3$

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



0.172 0.586 1.000 3.399 5.798  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00  
unitless


# SpeciesConcVV\_Simple\_SOA (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0012 0.1901 0.3790 0.5678 0.7567  
 $\mu\text{g}/\text{m}^3$

14.3.0-rc.0 (Dev)  
c24




0.0012 0.1901 0.3790 0.5678 0.7567  
 $\mu\text{g}/\text{m}^3$

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-0.2728 -0.1364 0.0000 0.1364 0.2728  
 $\mu\text{g}/\text{m}^3$

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-0.015 0.000 0.015  
 $\mu\text{g}/\text{m}^3$

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



0.305 0.653 1.000 2.137 3.274  
unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless




# SpeciesConcVV\_AERI (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0004 0.0008 0.0012  
 $\mu\text{g}/\text{m}^3$

14.3.0-rc.0 (Dev)  
c24




0.0004 0.0008 0.0012  
 $\mu\text{g}/\text{m}^3$

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-0.00015 0.00000 0.00015  
 $\mu\text{g}/\text{m}^3$

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-4 0 4  
 $\mu\text{g}/\text{m}^3$   $1\text{e}-5$

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



0.210 0.605 1.000 2.877 4.753  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00  
unitless


# SpeciesConcVV\_BrSALA (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.00004 0.00008 0.00012  
 $\mu\text{g}/\text{m}^3$

14.3.0-rc.0 (Dev)  
c24




0.00004 0.00008 0.00012  
 $\mu\text{g}/\text{m}^3$

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-5 0 5  
 $\mu\text{g}/\text{m}^3$   $1\text{e}-5$

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-1 0 1  
 $\mu\text{g}/\text{m}^3$   $1\text{e}-5$

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-02 1e-01 1 10 100  
unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00  
unitless





# SpeciesConcVV\_BrSALC (Jan2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24





Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# SpeciesConcVV\_ISALA (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# SpeciesConcVV\_ISALC (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# SpeciesConcVV\_NITs (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# SpeciesConcVV\_SALA (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# SpeciesConcVV\_SALAAAL (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.5 1.0 1.5 2.0  
 $\mu\text{g}/\text{m}^3$   $1\text{e}-8$

14.3.0-rc.0 (Dev)  
c24




0.5 1.0 1.5 2.0  
 $\mu\text{g}/\text{m}^3$   $1\text{e}-8$

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-6 0 6  
 $\mu\text{g}/\text{m}^3$   $1\text{e}-9$

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-5 0 5  
 $\mu\text{g}/\text{m}^3$   $1\text{e}-9$

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



0.225 0.613 1.000 2.720 4.440  
unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless




# SpeciesConcVV\_SALACL (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0000 0.0025 0.0050 0.0075  
 $\mu\text{g}/\text{m}^3$

14.3.0-rc.0 (Dev)  
c24




0.0000 0.0025 0.0050 0.0075  
 $\mu\text{g}/\text{m}^3$

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-0.003 0.000 0.003  
 $\mu\text{g}/\text{m}^3$

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-0.0004 0.0000 0.0004  
 $\mu\text{g}/\text{m}^3$

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-05 1e-02 10 1e4 1e+07  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# SpeciesConcVV\_SALC (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# SpeciesConcVV\_SALCAL (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# SpeciesConcVV\_SALCCL (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# SpeciesConcVV\_SO4s (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# SpeciesConcVV\_pFe (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range



Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Ratio (1x1.25)  
Dev/Ref, Fixed Range

