





EmisDST1_Anthro (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]





Ratio (1x1.25)
Dev/Ref, Dynamic Range




unitless

Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisDST1_Natural (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisDST1_Total (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisDST2_Natural (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisDST3_Natural (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisDST4_Natural (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisSO4_Aircraft (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisSO4_Anthro (Jan2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisSO4_Ship (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisSO4_Total (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisBCPI_Aircraft (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisBCPI_Anthro (Jan2019)

14.3.0-rc.0 (Ref)
4.0x5.0



0.0 1.5 3.0 4.5
kg/m²/s 1e-12

14.3.0-rc.0 (Dev)
c24




0.0 1.5 3.0 4.5
kg/m²/s 1e-12

Difference (1x1.25)
Dev - Ref, Dynamic Range




-2 0 2
kg/m²/s 1e-12

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-2.5 0.0 2.5
kg/m²/s 1e-14

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-05 1e-02 10 1e4 1e+07
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisBCPI_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisBCPI_Ship (Jan2019)

14.3.0-rc.0 (Ref)
4.0x5.0



0.0 2.5 5.0 7.5
kg/m2/s 1e-14

14.3.0-rc.0 (Dev)
c24




0.0 2.5 5.0 7.5
kg/m2/s 1e-14

Difference (1x1.25)
Dev - Ref, Dynamic Range




-3 0 3
kg/m2/s 1e-14

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-3 0 3
kg/m2/s 1e-16

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


EmisBCPI_Total (Jan2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 1.5 3.0 4.5
kg/m2/s $1e-12$

14.3.0-rc.0 (Dev)
c24




0.0 1.5 3.0 4.5
kg/m2/s $1e-12$

Difference (1x1.25)
Dev - Ref, Dynamic Range




-2 0 2
kg/m2/s $1e-12$

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-3 0 3
kg/m2/s $1e-14$

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-03 1e-02 1e-01 1 10 100 1000
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisBCPO_Anthro (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisBCPO_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisBCPO_Ship (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisBCPO_Total (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisOCPI_Aircraft (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisOCPI_Anthro (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisOCPI_BioBurn (Jan2019)

14.3.0-rc.0 (Ref)
4.0x5.0



0.0 1.5 3.0 4.5 $1e-11$
kg/m²/s

14.3.0-rc.0 (Dev)
c24




0.0 1.5 3.0 4.5 $1e-11$
kg/m²/s

Difference (1x1.25)
Dev - Ref, Dynamic Range




-3 0 3 $1e-11$
kg/m²/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-1 0 1 $1e-14$
kg/m²/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-03 1e-02 1e-01 1 10 100 1000
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisOCPI_Ship (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisOCPI_Total (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisOCPO_Anthro (Jan2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.8 1.6 2.4
kg/m2/s $1e-11$

14.3.0-rc.0 (Dev)
c24




0.0 0.8 1.6 2.4
kg/m2/s $1e-11$

Difference (1x1.25)
Dev - Ref, Dynamic Range




-8 0 8
kg/m2/s $1e-12$

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5
kg/m2/s $1e-13$

Ratio (1x1.25)
Dev/Ref, Dynamic Range



$1e-05$ $1e-02$ 10 $1e4$ $1e+07$
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisOCPO_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisOCPO_Ship (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisOCPO_Total (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisBrSALA_Natural (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisBrSALC_Natural (Jan2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisSALA_Natural (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisSALAAL_Natural (Jan2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisSALACL_Natural (Jan2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisSALC_Natural (Jan2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisSALCAL_Natural (Jan2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisSALCCL_Natural (Jan2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmispFe_Anthro (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmispFe_Ship (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmispFe_Total (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ratio (1x1.25)
Dev/Ref, Fixed Range

