



SpeciesConcVV_Bry (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_BrOx (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0015 0.0030 0.0045
ppb

14.3.0-rc.0 (Dev)
c24




0.0015 0.0030 0.0045
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.0015 0.0000 0.0015
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.0002 0.0000 0.0002
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-01 1 10
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_Br (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVW_Br2 (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_BrCl (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_BrNO2 (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_BrNO3 (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0015 0.0030
ppb

14.3.0-rc.0 (Dev)
c24




0.0015 0.0030
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.0015 0.0000 0.0015
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.0001 0.0000 0.0001
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-01 1 10
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


SpeciesConcVV_BrO (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0015 0.0030 0.0045
ppb

14.3.0-rc.0 (Dev)
c24




0.0015 0.0030 0.0045
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.0015 0.0000 0.0015
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.00015 0.00000 0.00015
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-01 1 10
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVW_CH3Br (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_CH2Br2 (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0006 0.0009 0.0012 0.0015
ppb

14.3.0-rc.0 (Dev)
c24




0.0006 0.0009 0.0012 0.0015
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.0002 0.0000 0.0002
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-6 0 6
ppb $1e-5$

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.7158 0.8579 1.0000 1.1986 1.3971
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


SpeciesConcVV_CHBr3 (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0015 0.0030 0.0045
ppb

14.3.0-rc.0 (Dev)
c24




0.0015 0.0030 0.0045
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.0008 0.0000 0.0008
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.00015 0.00000 0.00015
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.347 0.673 1.000 1.941 2.882
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


SpeciesConcVV_HOBr (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0025 0.0050 0.0075
ppb

14.3.0-rc.0 (Dev)
c24




0.0025 0.0050 0.0075
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.0025 0.0000 0.0025
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.00015 0.00000 0.00015
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-01 1 10
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


SpeciesConcVV_HBr (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0015 0.0030
ppb

14.3.0-rc.0 (Dev)
c24




0.0015 0.0030
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.0015 0.0000 0.0015
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.0001 0.0000 0.0001
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-02 1e-01 1 10 100
unitless

Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless