



# EmisACET\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisACTA\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisALD2\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisALK4\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisBCPI\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisBCPO\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisBENZ\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisC2H2\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisC2H4\_BioBurn (AnnualMean)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.8 1.6 2.4  
kg/m2/s 1e-11

14.3.0-rc.0 (Dev)  
c24




0.0 0.8 1.6 2.4  
kg/m2/s 1e-11

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1.5 0.0 1.5  
kg/m2/s 1e-11

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-8 0 8  
kg/m2/s 1e-14

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisC2H6\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisC3H8\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisCH2O\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisCO2\_BioBurn (AnnualMean)

14.3.0-rc.0 (Ref)  
4.0x5.0




Zero throughout domain  
kg/m2/s

14.3.0-rc.0 (Dev)  
c24




Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range



Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Zero throughout domain  
kg/m2/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughout domain  
unitless



Ratio (1x1.25)  
Dev/Ref, Fixed Range





Undefined throughout domain  
unitless

# EmisCO\_BioBurn (AnnualMean)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisEOH\_BioBurn (AnnualMean)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.6 1.2 1.8  $1e-12$   
kg/m<sup>2</sup>/s

14.3.0-rc.0 (Dev)  
c24




0.0 0.6 1.2 1.8  $1e-12$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1.5 0.0 1.5  $1e-12$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-4 0 4  $1e-15$   
kg/m<sup>2</sup>/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00  
unitless


# EmisFURA\_BioBurn (AnnualMean)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.6 1.2 1.8  
kg/m<sup>2</sup>/s 1e-11

14.3.0-rc.0 (Dev)  
c24




0.0 0.6 1.2 1.8  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1 0 1  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-6 0 6  
kg/m<sup>2</sup>/s 1e-14

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless




# EmisGLYX\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisISOP\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMEK\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMGLY\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMOH\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMTPA\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMVK\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisNAP\_BioBurn (AnnualMean)

14.3.0-rc.0 (Ref)  
4.0x5.0




Zero throughout domain  
kg/m<sup>2</sup>/s

14.3.0-rc.0 (Dev)  
c24




Zero throughout domain  
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range



Zero throughout domain  
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Zero throughout domain  
kg/m<sup>2</sup>/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughout domain  
unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range




Undefined throughout domain  
unitless




# EmisNH3\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisNO\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisOCPI\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisOCPO\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisPHEN\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range



# EmisPOG1\_BioBurn (AnnualMean)

14.3.0-rc.0 (Ref)  
4.0x5.0




Zero throughout domain  
kg/m2/s

14.3.0-rc.0 (Dev)  
c24




Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range



Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




Zero throughout domain  
kg/m2/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughout domain  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range



Undefined throughout domain  
unitless


# EmisPOG2\_BioBurn (AnnualMean)

14.3.0-rc.0 (Ref)  
4.0x5.0



Zero throughout domain  
kg/m2/s

14.3.0-rc.0 (Dev)  
c24




Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range



Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Zero throughout domain  
kg/m2/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughout domain  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




Undefined throughout domain  
unitless

# EmisPRPE\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisRCHO\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisSO2\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisSOAP\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisTOLU\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisXYLE\_BioBurn (AnnualMean)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range



Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Ratio (1x1.25)  
Dev/Ref, Fixed Range

