



EmisACET_Biogenic (AnnualMean)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisALD2_Biogenic (AnnualMean)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.6 1.2 1.8 10^{-11}
kg/m²/s

14.3.0-rc.0 (Dev)
c24




0.0 0.6 1.2 1.8 10^{-11}
kg/m²/s

Difference (1x1.25)
Dev - Ref, Dynamic Range




-8 0 8 10^{-12}
kg/m²/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-3 0 3 10^{-13}
kg/m²/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


EmisC2H4_Biogenic (AnnualMean)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.8 1.6 2.4
kg/m2/s 1e-11

14.3.0-rc.0 (Dev)
c24




0.0 0.8 1.6 2.4
kg/m2/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




-1 0 1
kg/m2/s 1e-11

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-4 0 4
kg/m2/s 1e-13

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


EmisEOH_Biogenic (AnnualMean)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.6 1.2 1.8 10^{-11}
kg/m²/s

14.3.0-rc.0 (Dev)
c24




0.0 0.6 1.2 1.8 10^{-11}
kg/m²/s

Difference (1x1.25)
Dev - Ref, Dynamic Range




-8 0 8 10^{-12}
kg/m²/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-3 0 3 10^{-13}
kg/m²/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisSOP_Biogenic (AnnualMean)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisLIMO_Biogenic (AnnualMean)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMOH_Biogenic (AnnualMean)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMTPA_Biogenic (AnnualMean)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMTPO_Biogenic (AnnualMean)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisPRPE_Biogenic (AnnualMean)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.6 1.2 1.8
kg/m²/s 1e-11

14.3.0-rc.0 (Dev)
c24




0.0 0.6 1.2 1.8
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




-8 0 8
kg/m²/s 1e-12

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-4 0 4
kg/m²/s 1e-13

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


EmisSOAP_Biogenic (AnnualMean)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.6 1.2 1.8
kg/m2/s 1e-11

14.3.0-rc.0 (Dev)
c24




0.0 0.6 1.2 1.8
kg/m2/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




-8 0 8
kg/m2/s 1e-12

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-2 0 2
kg/m2/s 1e-13

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


EmisSOAS_Biogenic (AnnualMean)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.6 1.2 1.8
kg/m²/s 1e-11

14.3.0-rc.0 (Dev)
c24




0.0 0.6 1.2 1.8
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




-8 0 8
kg/m²/s 1e-12

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-2 0 2
kg/m²/s 1e-13

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless

Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless