



# EmisACET\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisACTA\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisALD2\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisALK4\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisBCPI\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisBCPO\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisBENZ\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisC2H2\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisC2H4\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisC2H6\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisC3H8\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisCH2O\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisCO2\_BioBurn (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0



Zero throughout domain  
kg/m2/s

14.3.0-rc.0 (Dev)  
c24




Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range



Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




Zero throughout domain  
kg/m2/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughout domain  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




Undefined throughout domain  
unitless

# EmisCO\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisEOH\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisFURA\_BioBurn (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.8 1.6 2.4  
kg/m<sup>2</sup>/s 1e-11

14.3.0-rc.0 (Dev)  
c24




0.0 0.8 1.6 2.4  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1 0 1  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-5 0 5  
kg/m<sup>2</sup>/s 1e-15

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-03 1e-02 1e-01 1 10 100 1000  
unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless




# EmisGLYX\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range





# EmisSOP\_BioBurn (Jan2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24





Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMEK\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMGLY\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMOH\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMTPA\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMVK\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisNAP\_BioBurn (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




Zero throughout domain  
kg/m2/s

14.3.0-rc.0 (Dev)  
c24




Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range



Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Zero throughout domain  
kg/m2/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughout domain  
unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range




Undefined throughout domain  
unitless




# EmisNH3\_BioBurn (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0



0.0 0.8 1.6 2.4  $10^{-11}$   
kg/m<sup>2</sup>/s

14.3.0-rc.0 (Dev)  
c24




0.0 0.8 1.6 2.4  $10^{-11}$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1.5 0.0 1.5  $10^{-11}$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-6 0 6  $10^{-15}$   
kg/m<sup>2</sup>/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-03 1e-02 1e-01 1 10 100 1000  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisNO\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisOCPI\_BioBurn (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0



0.0 1.5 3.0 4.5  
kg/m<sup>2</sup>/s 1e-11

14.3.0-rc.0 (Dev)  
c24




0.0 1.5 3.0 4.5  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-3 0 3  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-1 0 1  
kg/m<sup>2</sup>/s 1e-14

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-03 1e-02 1e-01 1 10 100 1000  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisOCPO\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisPHEN\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range



# EmisPOG1\_BioBurn (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




Zero throughput domain  
kg/m<sup>2</sup>/s

14.3.0-rc.0 (Dev)  
c24




Zero throughput domain  
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range



Zero throughput domain  
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




Zero throughput domain  
kg/m<sup>2</sup>/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughput domain  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range



Undefined throughput domain  
unitless


# EmisPOG2\_BioBurn (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




Zero throughput domain  
kg/m<sup>2</sup>/s

14.3.0-rc.0 (Dev)  
c24




Zero throughput domain  
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range



Zero throughput domain  
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Zero throughput domain  
kg/m<sup>2</sup>/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughput domain  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




Undefined throughput domain  
unitless

# EmisPRPE\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisRCHO\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisSO2\_BioBurn (Jan2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.6 1.2 1.8  
kg/m<sup>2</sup>/s 1e-11

14.3.0-rc.0 (Dev)  
c24




0.0 0.6 1.2 1.8  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-8 0 8  
kg/m<sup>2</sup>/s 1e-12

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-3 0 3  
kg/m<sup>2</sup>/s 1e-15

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-03 1e-02 1e-01 1 10 100 1000  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisSOAP\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisTOLU\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisXYLE\_BioBurn (Jan2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range



Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Ratio (1x1.25)  
Dev/Ref, Fixed Range

