



# EmisACET\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisACTA\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisALD2\_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 2.5 5.0 7.5  
kg/m<sup>2</sup>/s 1e-11

14.3.0-rc.0 (Dev)  
c24




0.0 2.5 5.0 7.5  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-4 0 4  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-4 0 4  
kg/m<sup>2</sup>/s 1e-14

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless



Ratio (1x1.25)  
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00  
unitless

# EmisALK4\_BioBurn (Jul2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisBCPI\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisBCPO\_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 1.5 3.0  $1e-11$   
kg/m<sup>2</sup>/s

14.3.0-rc.0 (Dev)  
c24




0.0 1.5 3.0  $1e-11$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-2 0 2  $1e-11$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5  $1e-14$   
kg/m<sup>2</sup>/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless



Ratio (1x1.25)  
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00  
unitless

# EmisBENZ\_BioBurn (Jul2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range





# EmisC2H2\_BioBurn (Jul2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range



Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]





Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisC2H4\_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.5 1.0 1.5  
kg/m<sup>2</sup>/s 1e-10

14.3.0-rc.0 (Dev)  
c24




0.0 0.5 1.0 1.5  
kg/m<sup>2</sup>/s 1e-10

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-8 0 8  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-3 0 3  
kg/m<sup>2</sup>/s 1e-14

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisC2H6\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisC3H8\_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.8 1.6 2.4  
kg/m<sup>2</sup>/s 1e-11

14.3.0-rc.0 (Dev)  
c24




0.0 0.8 1.6 2.4  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1.5 0.0 1.5  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-6 0 6  
kg/m<sup>2</sup>/s 1e-15

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisCH2O\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisCO2\_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




Zero throughout domain  
kg/m2/s

14.3.0-rc.0 (Dev)  
c24



Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range



Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




Zero throughout domain  
kg/m2/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughout domain  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range



Undefined throughout domain  
unitless


# EmisCO\_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.4 0.8 1.2  
kg/m<sup>2</sup>/s 1e-8

14.3.0-rc.0 (Dev)  
c24




0.0 0.4 0.8 1.2  
kg/m<sup>2</sup>/s 1e-8

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-6 0 6  
kg/m<sup>2</sup>/s 1e-9

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-3 0 3  
kg/m<sup>2</sup>/s 1e-12

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisEOH\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisFURA\_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 2.5 5.0 7.5  
kg/m<sup>2</sup>/s 1e-11

14.3.0-rc.0 (Dev)  
c24




0.0 2.5 5.0 7.5  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-4 0 4  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-3 0 3  
kg/m<sup>2</sup>/s 1e-14

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless




# EmisGLYX\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisIOP\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMEK\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMGLY\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisMOH\_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)  
4.0x5.0



0.0 0.8 1.6 2.4  
kg/m<sup>2</sup>/s 1e-10

14.3.0-rc.0 (Dev)  
c24




0.0 0.8 1.6 2.4  
kg/m<sup>2</sup>/s 1e-10

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1 0 1  
kg/m<sup>2</sup>/s 1e-10

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-8 0 8  
kg/m<sup>2</sup>/s 1e-14

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisMTPA\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMVK\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisNAP\_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)  
4.0x5.0



Zero throughout domain  
kg/m2/s

14.3.0-rc.0 (Dev)  
c24




Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range




Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Zero throughout domain  
kg/m2/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughout domain  
unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range




Undefined throughout domain  
unitless




# EmisNH3\_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.8 1.6 2.4  
kg/m<sup>2</sup>/s 1e-10

14.3.0-rc.0 (Dev)  
c24




0.0 0.8 1.6 2.4  
kg/m<sup>2</sup>/s 1e-10

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1.5 0.0 1.5  
kg/m<sup>2</sup>/s 1e-10

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-4 0 4  
kg/m<sup>2</sup>/s 1e-14

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisNO\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisOCPI\_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)  
4.0x5.0



0.0 1.5 3.0 4.5  
kg/m<sup>2</sup>/s 1e-10

14.3.0-rc.0 (Dev)  
c24




0.0 1.5 3.0 4.5  
kg/m<sup>2</sup>/s 1e-10

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-2.5 0.0 2.5  
kg/m<sup>2</sup>/s 1e-10

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-6 0 6  
kg/m<sup>2</sup>/s 1e-14

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisOCPO\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisPHEN\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisPOG1\_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




Zero throughout domain  
kg/m2/s

14.3.0-rc.0 (Dev)  
c24



Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range



Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Zero throughout domain  
kg/m2/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughout domain  
unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range



Undefined throughout domain  
unitless

# EmisPOG2\_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)  
4.0x5.0



Zero throughout domain  
kg/m2/s

14.3.0-rc.0 (Dev)  
c24




Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range



Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Zero throughout domain  
kg/m2/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughout domain  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




Undefined throughout domain  
unitless

# EmisPRPE\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisRCHO\_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 2.5 5.0 7.5 1e-11  
kg/m2/s

14.3.0-rc.0 (Dev)  
c24




0.0 2.5 5.0 7.5 1e-11  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-4 0 4 1e-11  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-4 0 4 1e-14  
kg/m2/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisSO2\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisSOAP\_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range





# EmisTOLU\_BioBurn (Jul2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range







# EmisXYLE\_BioBurn (Jul2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24





Difference (1x1.25)  
Dev - Ref, Dynamic Range



Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Ratio (1x1.25)  
Dev/Ref, Fixed Range

