



SpeciesConcVV_Iy (Apr2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.008 0.016 0.024
ppb

14.3.0-rc.0 (Dev)
c24




0.008 0.016 0.024
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.01 0.00 0.01
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.0004 0.0000 0.0004
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-01 1 10
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_IxOy (Apr2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVW_I (Apr2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.00015 0.00030 0.00045
ppb

14.3.0-rc.0 (Dev)
c24




0.00015 0.00030 0.00045
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.00015 0.00000 0.00015
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-8 0 8
ppb $1e-6$

Ratio (1x1.25)
Dev/Ref, Dynamic Range



$1e-01$ 1 10
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_I2 (Apr2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_IBr (Apr2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.00008 0.00016 0.00024
ppb

14.3.0-rc.0 (Dev)
c24




0.00008 0.00016 0.00024
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.0001 0.0000 0.0001
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-5 0 5
ppb $1e-6$

Ratio (1x1.25)
Dev/Ref, Dynamic Range



$1e-01$ 1 10
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVW_ICI (Apr2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_IO (Apr2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_IONO (Apr2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_IONO2 (Apr2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0015 0.0030 0.0045
ppb

14.3.0-rc.0 (Dev)
c24




0.0015 0.0030 0.0045
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.002 0.000 0.002
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-6 0 6
ppb 1e-5

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-01 1 10
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_CH3I (Apr2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_CH2I2 (Apr2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_CH2ICl (Apr2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.00015 0.00030 0.00045
ppb

14.3.0-rc.0 (Dev)
c24




0.00015 0.00030 0.00045
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.00015 0.00000 0.00015
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5
ppb $1e-5$

Ratio (1x1.25)
Dev/Ref, Dynamic Range



$1e-01$ 1 10
unitless



Ratio (1x1.25)
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_CH2IBr (Apr2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_HI (Apr2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_HOI (Apr2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_OIO (Apr2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ratio (1x1.25)
Dev/Ref, Fixed Range

