



# EmisEOH\_Anthro (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisEOH\_BioBurn (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 2.5 5.0 7.5 1e-13  
kg/m2/s

14.3.0-rc.0 (Dev)  
c24




0.0 2.5 5.0 7.5 1e-13  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-4 0 4 1e-13  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5 1e-15  
kg/m2/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00  
unitless


# EmisEOH\_Biogenic (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.8 1.6 2.4  
kg/m<sup>2</sup>/s 1e-11

14.3.0-rc.0 (Dev)  
c24




0.0 0.8 1.6 2.4  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1 0 1  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-2 0 2  
kg/m<sup>2</sup>/s 1e-13

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisEOH\_PlantDecay (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisEOH\_Ship (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0



Zero throughput domain  
kg/m<sup>2</sup>/s

14.3.0-rc.0 (Dev)  
c24




Zero throughput domain  
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range



Zero throughput domain  
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




Zero throughput domain  
kg/m<sup>2</sup>/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughput domain  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




Undefined throughput domain  
unitless

# EmisEOH\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range





# EmisMOH\_Anthro (Apr2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24





Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMOH\_BioBurn (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 1.5 3.0  $1e-11$   
kg/m<sup>2</sup>/s

14.3.0-rc.0 (Dev)  
c24




0.0 1.5 3.0  $1e-11$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1.5 0.0 1.5  $1e-11$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-5 0 5  $1e-14$   
kg/m<sup>2</sup>/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless




# EmisMOH\_Biogenic (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMOH\_Ocean (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Ratio (1x1.25)  
Dev/Ref, Fixed Range



# EmisMOH\_Ship (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




Zero throughput domain  
kg/m<sup>2</sup>/s

14.3.0-rc.0 (Dev)  
c24



Zero throughput domain  
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range



Zero throughput domain  
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Zero throughput domain  
kg/m<sup>2</sup>/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughput domain  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




Undefined throughput domain  
unitless

# EmisMOH\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisISOP\_BioBurn (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.5 1.0 1.5  $1e-12$   
kg/m<sup>2</sup>/s

14.3.0-rc.0 (Dev)  
c24




0.0 0.5 1.0 1.5  $1e-12$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-8 0 8  $1e-13$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-3 0 3  $1e-15$   
kg/m<sup>2</sup>/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisI SOP\_Biogenic (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisISOP\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMTPA\_BioBurn (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisMTPA\_Biogenic (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMTPA\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMTPO\_Biogenic (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 2.5 5.0 7.5  
kg/m<sup>2</sup>/s 1e-11

14.3.0-rc.0 (Dev)  
c24




0.0 2.5 5.0 7.5  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-3 0 3  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-5 0 5  
kg/m<sup>2</sup>/s 1e-13

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-05 1e-03 1e-01 10 1000 1e+05  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisMTPO\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisLIMO\_Biogenic (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range





# EmisALK4\_Aircraft (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24





Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range





# EmisALK4\_Anthro (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24





Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range





# EmisALK4\_BioBurn (Apr2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range



Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00  
unitless




# EmisALK4\_Ship (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range





# EmisALK4\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisBENZ\_Anthro (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisBENZ\_BioBurn (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisBENZ\_Ship (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0



0.0 1.5 3.0  $1e-13$   
kg/m<sup>2</sup>/s

14.3.0-rc.0 (Dev)  
c24




0.0 1.5 3.0  $1e-13$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1.5 0.0 1.5  $1e-13$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5  $1e-15$   
kg/m<sup>2</sup>/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless



Ratio (1x1.25)  
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00  
unitless

# EmisBENZ\_Total (Apr2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range



Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]





Ratio (1x1.25)  
Dev/Ref, Dynamic Range




unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisC2H2\_Anthro (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 2.5 5.0 7.5  
kg/m<sup>2</sup>/s 1e-12

14.3.0-rc.0 (Dev)  
c24




0.0 2.5 5.0 7.5  
kg/m<sup>2</sup>/s 1e-12

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-3 0 3  
kg/m<sup>2</sup>/s 1e-12

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-6 0 6  
kg/m<sup>2</sup>/s 1e-14

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-05 1e-02 10 1e4 1e+07  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisC2H2\_BioBurn (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range







# EmisC2H2\_Ship (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range



Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]





Ratio (1x1.25)  
Dev/Ref, Dynamic Range




unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisC2H2\_Total (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 2.5 5.0 7.5  
kg/m2/s  $1e-12$

14.3.0-rc.0 (Dev)  
c24




0.0 2.5 5.0 7.5  
kg/m2/s  $1e-12$

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-4 0 4  
kg/m2/s  $1e-12$

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-8 0 8  
kg/m2/s  $1e-14$

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00  
unitless


# EmisC2H4\_Anthro (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 1.5 3.0 4.5  
kg/m<sup>2</sup>/s 1e-11

14.3.0-rc.0 (Dev)  
c24




0.0 1.5 3.0 4.5  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-2.5 0.0 2.5  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-2 0 2  
kg/m<sup>2</sup>/s 1e-13

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-06 1e-03 1 1000 1e+06  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00  
unitless


# EmisC2H4\_BioBurn (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.5 1.0 1.5  
kg/m<sup>2</sup>/s 1e-11

14.3.0-rc.0 (Dev)  
c24




0.0 0.5 1.0 1.5  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-8 0 8  
kg/m<sup>2</sup>/s 1e-12

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-2.5 0.0 2.5  
kg/m<sup>2</sup>/s 1e-14

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisC2H4\_Biogenic (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisC2H4\_Ship (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisC2H4\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisC2H6\_Aircraft (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisC2H6\_Anthro (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.5 1.0 1.5  
kg/m<sup>2</sup>/s 1e-11

14.3.0-rc.0 (Dev)  
c24




0.0 0.5 1.0 1.5  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-5 0 5  
kg/m<sup>2</sup>/s 1e-12

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5  
kg/m<sup>2</sup>/s 1e-13

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-05 1e-02 10 1e4 1e+07  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00  
unitless


# EmisC2H6\_BioBurn (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.4 0.8 1.2  
kg/m<sup>2</sup>/s 1e-11

14.3.0-rc.0 (Dev)  
c24




0.0 0.4 0.8 1.2  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-5 0 5  
kg/m<sup>2</sup>/s 1e-12

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5  
kg/m<sup>2</sup>/s 1e-14

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisC2H6\_Ship (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisC2H6\_Total (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.5 1.0 1.5  
kg/m<sup>2</sup>/s 1e-11

14.3.0-rc.0 (Dev)  
c24




0.0 0.5 1.0 1.5  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-6 0 6  
kg/m<sup>2</sup>/s 1e-12

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-2 0 2  
kg/m<sup>2</sup>/s 1e-13

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-05 1e-02 10 1e4 1e+07  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisC3H8\_Aircraft (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisC3H8\_Anthro (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.8 1.6 2.4  $10^{-11}$   
kg/m<sup>2</sup>/s

14.3.0-rc.0 (Dev)  
c24




0.0 0.8 1.6 2.4  $10^{-11}$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1 0 1  $10^{-11}$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-2 0 2  $10^{-13}$   
kg/m<sup>2</sup>/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-11 1e-06 1e-01 1e4 1e+09 1e+14  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisC3H8\_BioBurn (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisC3H8\_Ship (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisC3H8\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisPRPE\_Aircraft (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisPRPE\_Anthro (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 2.5 5.0 7.5 1e-12  
kg/m2/s

14.3.0-rc.0 (Dev)  
c24




0.0 2.5 5.0 7.5 1e-12  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-4 0 4 1e-12  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-5 0 5 1e-14  
kg/m2/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-05 1e-02 10 1e4 1e+07  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisPRPE\_BioBurn (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisPRPE\_Biogenic (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisPRPE\_Ship (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisPRPE\_Total (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 1.5 3.0  $1e-11$   
kg/m<sup>2</sup>/s

14.3.0-rc.0 (Dev)  
c24




0.0 1.5 3.0  $1e-11$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1.5 0.0 1.5  $1e-11$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-4 0 4  $1e-13$   
kg/m<sup>2</sup>/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



$1e-03$   $1e-02$   $1e-01$  1 10 100 1000  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisTOLU\_Anthro (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range







# EmisTOLU\_BioBurn (Apr2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisTOLU\_Ship (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0



0.0 0.6 1.2 1.8  $1e-13$   
kg/m<sup>2</sup>/s

14.3.0-rc.0 (Dev)  
c24




0.0 0.6 1.2 1.8  $1e-13$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1 0 1  $1e-13$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-1 0 1  $1e-15$   
kg/m<sup>2</sup>/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless



Ratio (1x1.25)  
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00  
unitless

# EmisTOLU\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range



Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]





Ratio (1x1.25)  
Dev/Ref, Dynamic Range





unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range





# EmisXYLE\_Anthro (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24





Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisXYLE\_BioBurn (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisXYLE\_Ship (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range





# EmisXYLE\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range



Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Ratio (1x1.25)  
Dev/Ref, Fixed Range

