





EmisEOH_Anthro (Jul2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisEOH_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisEOH_Biogenic (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.8 1.6 2.4
kg/m²/s 1e-11

14.3.0-rc.0 (Dev)
c24




0.0 0.8 1.6 2.4
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




-1.5 0.0 1.5
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-5 0 5
kg/m²/s 1e-13

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-05 1e-03 1e-01 10 1000 1e+05
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


EmisEOH_PlantDecay (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 1.5 3.0 4.5
kg/m²/s 1e-12

14.3.0-rc.0 (Dev)
c24




0.0 1.5 3.0 4.5
kg/m²/s 1e-12

Difference (1x1.25)
Dev - Ref, Dynamic Range




-1.5 0.0 1.5
kg/m²/s 1e-12

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5
kg/m²/s 1e-13

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless

Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless

EmisEOH_Ship (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




Zero throughput domain
kg/m²/s

14.3.0-rc.0 (Dev)
c24




Zero throughput domain
kg/m²/s

Difference (1x1.25)
Dev - Ref, Dynamic Range



Zero throughput domain
kg/m²/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Zero throughput domain
kg/m²/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



Undefined throughput domain
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




Undefined throughput domain
unitless

EmisEOH_Total (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMOH_Anthro (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 2.5 5.0 7.5
kg/m²/s 1e-12

14.3.0-rc.0 (Dev)
c24




0.0 2.5 5.0 7.5
kg/m²/s 1e-12

Difference (1x1.25)
Dev - Ref, Dynamic Range




-4 0 4
kg/m²/s 1e-12

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-6 0 6
kg/m²/s 1e-14

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-09 1e-05 1e-01 1000 1e+07 1e+11
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisMOH_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMOH_Biogenic (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisMOH_Ocean (Jul2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMOH_Ship (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




Zero throughout domain
kg/m²/s

14.3.0-rc.0 (Dev)
c24




Zero throughout domain
kg/m²/s

Difference (1x1.25)
Dev - Ref, Dynamic Range



Zero throughout domain
kg/m²/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Zero throughout domain
kg/m²/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



Undefined throughout domain
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




Undefined throughout domain
unitless

EmisMOH_Total (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisIOP_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 2.5 5.0 7.5
kg/m²/s 1e-12

14.3.0-rc.0 (Dev)
c24




0.0 2.5 5.0 7.5
kg/m²/s 1e-12

Difference (1x1.25)
Dev - Ref, Dynamic Range




-4 0 4
kg/m²/s 1e-12

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-4 0 4
kg/m²/s 1e-15

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisSOP_Biogenic (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisSOP_Total (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMTPA_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMTPA_Biogenic (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMTPA_Total (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMTPO_Biogenic (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMTPO_Total (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisLIMO_Biogenic (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisALK4_Aircraft (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisALK4_Anthro (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisALK4_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisALK4_Ship (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisALK4_Total (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


EmisBENZ_Anthro (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.5 1.0 1.5
kg/m²/s 1e-11

14.3.0-rc.0 (Dev)
c24




0.0 0.5 1.0 1.5
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




-6 0 6
kg/m²/s 1e-12

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5
kg/m²/s 1e-13

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-05 1e-02 10 1e4 1e+07
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisBENZ_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisBENZ_Ship (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisBENZ_Total (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisC2H2_Anthro (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisC2H2_BioBurn (Jul2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]





Ratio (1x1.25)
Dev/Ref, Dynamic Range




unitless

Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisC2H2_Ship (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0



0.0 0.8 1.6 2.4
kg/m²/s 1e-14

14.3.0-rc.0 (Dev)
c24




0.0 0.8 1.6 2.4
kg/m²/s 1e-14

Difference (1x1.25)
Dev - Ref, Dynamic Range




-1 0 1
kg/m²/s 1e-14

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-1 0 1
kg/m²/s 1e-16

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless



Ratio (1x1.25)
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00
unitless

EmisC2H2_Total (Jul2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisC2H4_Anthro (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisC2H4_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.5 1.0 1.5
kg/m²/s 1e-10

14.3.0-rc.0 (Dev)
c24




0.0 0.5 1.0 1.5
kg/m²/s 1e-10

Difference (1x1.25)
Dev - Ref, Dynamic Range




-8 0 8
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-3 0 3
kg/m²/s 1e-14

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


EmisC2H4_Biogenic (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.8 1.6 2.4
kg/m²/s 1e-11

14.3.0-rc.0 (Dev)
c24




0.0 0.8 1.6 2.4
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




-1 0 1
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-6 0 6
kg/m²/s 1e-13

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless



Ratio (1x1.25)
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00
unitless

EmisC2H4_Ship (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisC2H4_Total (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisC2H6_Aircraft (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisC2H6_Anthro (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.5 1.0 1.5
kg/m²/s 1e-11

14.3.0-rc.0 (Dev)
c24




0.0 0.5 1.0 1.5
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




-5 0 5
kg/m²/s 1e-12

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5
kg/m²/s 1e-13

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-05 1e-02 10 1e4 1e+07
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisC2H6_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisC2H6_Ship (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisC2H6_Total (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisC3H8_Aircraft (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisC3H8_Anthro (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisC3H8_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.8 1.6 2.4
kg/m²/s 1e-11

14.3.0-rc.0 (Dev)
c24




0.0 0.8 1.6 2.4
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




-1.5 0.0 1.5
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-6 0 6
kg/m²/s 1e-15

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisC3H8_Ship (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisC3H8_Total (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 1.5 3.0 $1e-11$
kg/m²/s

14.3.0-rc.0 (Dev)
c24




0.0 1.5 3.0 $1e-11$
kg/m²/s

Difference (1x1.25)
Dev - Ref, Dynamic Range




-1.5 0.0 1.5 $1e-11$
kg/m²/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-3 0 3 $1e-13$
kg/m²/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



$1e-10$ $1e-05$ 1 $1e+05$ $1e+10$
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisPRPE_Aircraft (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisPRPE_Anthro (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 2.5 5.0 7.5 1e-12
kg/m2/s

14.3.0-rc.0 (Dev)
c24




0.0 2.5 5.0 7.5 1e-12
kg/m2/s

Difference (1x1.25)
Dev - Ref, Dynamic Range




-4 0 4 1e-12
kg/m2/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-5 0 5 1e-14
kg/m2/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-05 1e-03 1e-01 10 1000 1e+05
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisPRPE_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisPRPE_Biogenic (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisPRPE_Ship (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisPRPE_Total (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisTOLU_Anthro (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisTOLU_BioBurn (Jul2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


EmisTOLU_Ship (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0



0.0 0.8 1.6 2.4
kg/m²/s 1e-13

14.3.0-rc.0 (Dev)
c24




0.0 0.8 1.6 2.4
kg/m²/s 1e-13

Difference (1x1.25)
Dev - Ref, Dynamic Range




-1 0 1
kg/m²/s 1e-13

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-1 0 1
kg/m²/s 1e-15

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisTOLU_Total (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisXYLE_Anthro (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisXYLE_BioBurn (Jul2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisXYLE_Ship (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisXYLE_Total (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ratio (1x1.25)
Dev/Ref, Fixed Range

