



SpeciesConcVV_H2O2 (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.050 0.482 0.913 1.345 1.777
ppb

14.3.0-rc.0 (Dev)
c24




0.050 0.482 0.913 1.345 1.777
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.4043 -0.2021 0.0000 0.2021 0.4043
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.0675 -0.0337 0.0000 0.0337 0.0675
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.563 0.781 1.000 1.388 1.777
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_H (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





SpeciesConcVV_H2 (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_H2O (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_HO2 (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_01D (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_OH (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.00015 0.00030
ppb

14.3.0-rc.0 (Dev)
c24




0.00015 0.00030
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-5 0 5
ppb $1e-5$

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-6 0 6
ppb $1e-6$

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.251 0.625 1.000 2.494 3.987
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


SpeciesConcVV_RO2 (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.006 0.012 0.018
ppb

14.3.0-rc.0 (Dev)
c24




0.006 0.012 0.018
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.002 0.000 0.002
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.0003 0.0000 0.0003
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.440 0.720 1.000 1.637 2.275
unitless

Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless