



# SpeciesConcVV\_H2O2 (Jul2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.000 0.655 1.309 1.964 2.618  
ppb

14.3.0-rc.0 (Dev)  
c24




0.000 0.655 1.309 1.964 2.618  
ppb

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-0.670 -0.335 0.000 0.335 0.670  
ppb

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-0.1070 -0.0535 0.0000 0.0535 0.1070  
ppb

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



0.298 0.649 1.000 2.176 3.352  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# SpeciesConcVV\_H (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range





# SpeciesConcVV\_H2 (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Ratio (1x1.25)  
Dev/Ref, Fixed Range



0.9999784

1.000000

1.0000216

0.50

0.75

1.00

1.50


2.00

unitless


unitless

# SpeciesConcVV\_H2O (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# SpeciesConcVV\_HO2 (Jul2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.004 0.008 0.012  
ppb

14.3.0-rc.0 (Dev)  
c24




0.004 0.008 0.012  
ppb

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-0.002 0.000 0.002  
ppb

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-0.0003 0.0000 0.0003  
ppb

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



0.128 0.564 1.000 4.394 7.788  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# SpeciesConcVV\_01D (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# SpeciesConcVV\_OH (Jul2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.00008 0.00016 0.00024  
ppb

14.3.0-rc.0 (Dev)  
c24




0.00008 0.00016 0.00024  
ppb

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-5 0 5  
ppb 1e-5

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-6 0 6  
ppb 1e-6

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



0.113 0.557 1.000 4.924 8.848  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# SpeciesConcVV\_RO2 (Jul2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range



Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Ratio (1x1.25)  
Dev/Ref, Fixed Range

