



# SpeciesConcVV\_H2O2 (Oct2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.001 0.738 1.475 2.212 2.948  
ppb

14.3.0-rc.0 (Dev)  
c24




0.001 0.738 1.475 2.212 2.948  
ppb

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1.167 -0.584 0.000 0.584 1.167  
ppb

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-0.1079 -0.0539 0.0000 0.0539 0.1079  
ppb

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



0.277 0.639 1.000 2.304 3.609  
unitless



Ratio (1x1.25)  
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00  
unitless

# SpeciesConcVW\_H (Oct2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24





Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range





# SpeciesConcVV\_H2 (Oct2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Ratio (1x1.25)  
Dev/Ref, Fixed Range



0.9999784

1.0000000

1.0000216

unitless

0.50

0.75

1.00



1.50

2.00



unitless

# SpeciesConcVW\_H2O (Oct2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24





Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# SpeciesConcVW\_HO2 (Oct2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# SpeciesConcVW\_01D (Oct2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# SpeciesConcVV\_OH (Oct2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.00005 0.00010 0.00015  
ppb

14.3.0-rc.0 (Dev)  
c24




0.00005 0.00010 0.00015  
ppb

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-4 0 4  
ppb  $1e-5$

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-5 0 5  
ppb  $1e-6$

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



0.265 0.632 1.000 2.388 3.775  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00  
unitless


# SpeciesConcVV\_R02 (Oct2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.02 0.04 0.06  
ppb

14.3.0-rc.0 (Dev)  
c24




0.02 0.04 0.06  
ppb

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-0.015 0.000 0.015  
ppb

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-0.0008 0.0000 0.0008  
ppb

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



0.337 0.669 1.000 1.983 2.966  
unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00  
unitless