



# EmisACTA\_BioBurn (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range





# EmisACTA\_Total (Apr2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisALD2\_Anthro (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 1.5 3.0 4.5  $1e-12$   
kg/m<sup>2</sup>/s

14.3.0-rc.0 (Dev)  
c24




0.0 1.5 3.0 4.5  $1e-12$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-2.5 0.0 2.5  $1e-12$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-2.5 0.0 2.5  $1e-14$   
kg/m<sup>2</sup>/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



$1e-05$   $1e-02$  10  $1e4$   $1e+07$   
unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless




# EmisALD2\_BioBurn (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisALD2\_Biogenic (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.8 1.6 2.4  
kg/m<sup>2</sup>/s 1e-11

14.3.0-rc.0 (Dev)  
c24




0.0 0.8 1.6 2.4  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1 0 1  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-2 0 2  
kg/m<sup>2</sup>/s 1e-13

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisALD2\_Ocean (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisALD2\_PlantDecay (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 1.5 3.0 4.5  
kg/m<sup>2</sup>/s 1e-12

14.3.0-rc.0 (Dev)  
c24




0.0 1.5 3.0 4.5  
kg/m<sup>2</sup>/s 1e-12

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1.5 0.0 1.5  
kg/m<sup>2</sup>/s 1e-12

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-1 0 1  
kg/m<sup>2</sup>/s 1e-13

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00  
unitless



# EmisALD2\_Ship (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




Zero throughout domain  
kg/m2/s

14.3.0-rc.0 (Dev)  
c24





Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range



Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Zero throughout domain  
kg/m2/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughout domain  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




Undefined throughout domain  
unitless

# EmisALD2\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisCH2O\_Aircraft (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0



0.0 0.4 0.8 1.2  
kg/m<sup>2</sup>/s 1e-13

14.3.0-rc.0 (Dev)  
c24




0.0 0.4 0.8 1.2  
kg/m<sup>2</sup>/s 1e-13

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-8 0 8  
kg/m<sup>2</sup>/s 1e-14

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-4 0 4  
kg/m<sup>2</sup>/s 1e-16

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-03 1e-02 1e-01 1 10 100 1000  
unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless




# EmisCH2O\_Anthro (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0



0.0 0.4 0.8 1.2  $1e-11$   
kg/m<sup>2</sup>/s

14.3.0-rc.0 (Dev)  
c24




0.0 0.4 0.8 1.2  $1e-11$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-8 0 8  $1e-12$   
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-4 0 4  $1e-14$   
kg/m<sup>2</sup>/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-05 1e-02 10 1e4 1e+07  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisCH2O\_BioBurn (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisCH2O\_Ship (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0



Zero throughout domain  
kg/m2/s

14.3.0-rc.0 (Dev)  
c24




Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range



Zero throughout domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Zero throughout domain  
kg/m2/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughout domain  
unitless

Ratio (1x1.25)  
Dev/Ref, Fixed Range




Undefined throughout domain  
unitless




# EmisCH2O\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range





# EmisMACR\_Aircraft (Apr2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24





Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range







# EmisMACR\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisACET\_BioBurn (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisACET\_Biogenic (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range





# EmisACET\_Ocean (Apr2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24





Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisACET\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMEK\_Anthro (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMEK\_BioBurn (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Ratio (1x1.25)  
Dev/Ref, Fixed Range





# EmisMEK\_Ship (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0



Zero throughput domain  
kg/m<sup>2</sup>/s

14.3.0-rc.0 (Dev)  
c24



Zero throughput domain  
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range



Zero throughput domain  
kg/m<sup>2</sup>/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Zero throughput domain  
kg/m<sup>2</sup>/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughput domain  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




Undefined throughput domain  
unitless

# EmisMEK\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisMVK\_BioBurn (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range







# EmisMVK\_Total (Apr2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisFURA\_BioBurn (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisFURA\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisGLYX\_BioBurn (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisGLYX\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range





Ratio (1x1.25)  
Dev/Ref, Fixed Range





# EmisHCOOH\_Anthro (Apr2019)



14.3.0-rc.0 (Ref)  
4.0x5.0





14.3.0-rc.0 (Dev)  
c24





Difference (1x1.25)  
Dev - Ref, Dynamic Range





Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Ratio (1x1.25)  
Dev/Ref, Fixed Range





# EmisHCOOH\_Ship (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0



Zero throughput domain  
kg/m2/s

14.3.0-rc.0 (Dev)  
c24



Zero throughput domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Dynamic Range



Zero throughput domain  
kg/m2/s

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Zero throughput domain  
kg/m2/s

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Undefined throughput domain  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range



Undefined throughput domain  
unitless


# EmisHCOOH\_Total (Apr2019)

14.3.0-rc.0 (Ref)  
4.0x5.0




0.0 0.8 1.6 2.4  
kg/m<sup>2</sup>/s 1e-11

14.3.0-rc.0 (Dev)  
c24




0.0 0.8 1.6 2.4  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Dynamic Range




-1.5 0.0 1.5  
kg/m<sup>2</sup>/s 1e-11

Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5  
kg/m<sup>2</sup>/s 1e-13

Ratio (1x1.25)  
Dev/Ref, Dynamic Range



1e-09 1e-05 1e-01 1000 1e+07 1e+11  
unitless


Ratio (1x1.25)  
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00  
unitless

# EmisPHEN\_BioBurn (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisPHEN\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisRCHO\_Aircraft (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range




# EmisRCHO\_BioBurn (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range




Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range




Ratio (1x1.25)  
Dev/Ref, Fixed Range






# EmisRCHO\_Total (Apr2019)


14.3.0-rc.0 (Ref)  
4.0x5.0




14.3.0-rc.0 (Dev)  
c24




Difference (1x1.25)  
Dev - Ref, Dynamic Range



Difference (1x1.25)  
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)  
Dev/Ref, Dynamic Range



Ratio (1x1.25)  
Dev/Ref, Fixed Range

