



EmisACTA_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 1.5 3.0 $1e-10$
kg/m²/s

14.3.0-rc.0 (Dev)
c24




0.0 1.5 3.0 $1e-10$
kg/m²/s

Difference (1x1.25)
Dev - Ref, Dynamic Range




-2 0 2 $1e-10$
kg/m²/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5 $1e-13$
kg/m²/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


EmisACTA_Total (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 1.5 3.0
kg/m2/s 1e-10

14.3.0-rc.0 (Dev)
c24




0.0 1.5 3.0
kg/m2/s 1e-10

Difference (1x1.25)
Dev - Ref, Dynamic Range




-2 0 2
kg/m2/s 1e-10

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5
kg/m2/s 1e-13

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless



Ratio (1x1.25)
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00
unitless

EmisALD2_Anthro (Jul2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisALD2_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 2.5 5.0 7.5
kg/m²/s 1e-11

14.3.0-rc.0 (Dev)
c24




0.0 2.5 5.0 7.5
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




-4 0 4
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-4 0 4
kg/m²/s 1e-14

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


EmisALD2_Biogenic (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.8 1.6 2.4
kg/m²/s 1e-11

14.3.0-rc.0 (Dev)
c24




0.0 0.8 1.6 2.4
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




-1.5 0.0 1.5
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-5 0 5
kg/m²/s 1e-13

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-05 1e-03 1e-01 10 1000 1e+05
unitless



Ratio (1x1.25)
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00
unitless

EmisALD2_Ocean (Jul2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisALD2_PlantDecay (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisALD2_Ship (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




Zero throughput domain
kg/m²/s

14.3.0-rc.0 (Dev)
c24




Zero throughput domain
kg/m²/s

Difference (1x1.25)
Dev - Ref, Dynamic Range



Zero throughput domain
kg/m²/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




Zero throughput domain
kg/m²/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



Undefined throughput domain
unitless



Ratio (1x1.25)
Dev/Ref, Fixed Range





Undefined throughput domain
unitless

EmisALD2_Total (Jul2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisCH2O_Aircraft (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.4 0.8 1.2
kg/m²/s 1e-13

14.3.0-rc.0 (Dev)
c24




0.0 0.4 0.8 1.2
kg/m²/s 1e-13

Difference (1x1.25)
Dev - Ref, Dynamic Range




-8 0 8
kg/m²/s 1e-14

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-4 0 4
kg/m²/s 1e-16

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-03 1e-02 1e-01 1 10 100 1000
unitless



Ratio (1x1.25)
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00
unitless

EmisCH2O_Anthro (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisCH2O_BioBurn (Jul2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ratio (1x1.25)
Dev/Ref, Fixed Range



EmisCH2O_Ship (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




Zero throughout domain
kg/m2/s

14.3.0-rc.0 (Dev)
c24




Zero throughout domain
kg/m2/s

Difference (1x1.25)
Dev - Ref, Dynamic Range



Zero throughout domain
kg/m2/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Zero throughout domain
kg/m2/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



Undefined throughout domain
unitless



Ratio (1x1.25)
Dev/Ref, Fixed Range





Undefined throughout domain
unitless

EmisCH2O_Total (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


EmisMACR_Aircraft (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 1.5 3.0 4.5
kg/m²/s 1e-14

14.3.0-rc.0 (Dev)
c24




0.0 1.5 3.0 4.5
kg/m²/s 1e-14

Difference (1x1.25)
Dev - Ref, Dynamic Range




-3 0 3
kg/m²/s 1e-14

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-2 0 2
kg/m²/s 1e-16

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-03 1e-02 1e-01 1 10 100 1000
unitless



Ratio (1x1.25)
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00
unitless

EmisMACR_Total (Jul2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisACET_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisACET_Biogenic (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisACET_Ocean (Jul2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisACET_Total (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMEK_Anthro (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMEK_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ratio (1x1.25)
Dev/Ref, Fixed Range



EmisMEK_Ship (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




Zero throughput domain
kg/m²/s

14.3.0-rc.0 (Dev)
c24



Zero throughput domain
kg/m²/s

Difference (1x1.25)
Dev - Ref, Dynamic Range



Zero throughput domain
kg/m²/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




Zero throughput domain
kg/m²/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



Undefined throughput domain
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




Undefined throughput domain
unitless

EmisMEK_Total (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisMVK_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.5 1.0 1.5
kg/m²/s 1e-11

14.3.0-rc.0 (Dev)
c24




0.0 0.5 1.0 1.5
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




-6 0 6
kg/m²/s 1e-12

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-8 0 8
kg/m²/s 1e-15

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


EmisMVK_Total (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.5 1.0 1.5
kg/m²/s 1e-11

14.3.0-rc.0 (Dev)
c24




0.0 0.5 1.0 1.5
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




-6 0 6
kg/m²/s 1e-12

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-8 0 8
kg/m²/s 1e-15

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisFURA_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisFURA_Total (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 2.5 5.0 7.5
kg/m²/s 1e-11

14.3.0-rc.0 (Dev)
c24




0.0 2.5 5.0 7.5
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




-4 0 4
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-3 0 3
kg/m²/s 1e-14

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisGLYX_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisGLYX_Total (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisHCOOH_Anthro (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.8 1.6 2.4
kg/m²/s 1e-11

14.3.0-rc.0 (Dev)
c24




0.0 0.8 1.6 2.4
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




-1.5 0.0 1.5
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5
kg/m²/s 1e-13

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-08 1e-04 1 1e4 1e+08
unitless

Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless

EmisHCOOH_Ship (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




Zero throughput domain
kg/m²/s

14.3.0-rc.0 (Dev)
c24




Zero throughput domain
kg/m²/s

Difference (1x1.25)
Dev - Ref, Dynamic Range



Zero throughput domain
kg/m²/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Zero throughput domain
kg/m²/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



Undefined throughput domain
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



Undefined throughput domain
unitless


EmisHCOOH_Total (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 0.8 1.6 2.4
kg/m²/s 1e-11

14.3.0-rc.0 (Dev)
c24




0.0 0.8 1.6 2.4
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




-1.5 0.0 1.5
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5
kg/m²/s 1e-13

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-08 1e-04 1 1e4 1e+08
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

EmisPHEN_BioBurn (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisPHEN_Total (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisRCHO_Aircraft (Jul2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisRCHO_BioBurn (Jul2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0 2.5 5.0 7.5 $1e-11$
kg/m²/s

14.3.0-rc.0 (Dev)
c24




0.0 2.5 5.0 7.5 $1e-11$
kg/m²/s

Difference (1x1.25)
Dev - Ref, Dynamic Range




-4 0 4 $1e-11$
kg/m²/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-4 0 4 $1e-14$
kg/m²/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless



Ratio (1x1.25)
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00
unitless

EmisRCHO_Total (Jul2019)



14.3.0-rc.0 (Ref)
4.0x5.0





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ratio (1x1.25)
Dev/Ref, Fixed Range

