



SpeciesConcVV_SOx (Apr2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0019 0.0886 0.1753 0.2619 0.3486
ppb

14.3.0-rc.0 (Dev)
c24




0.0019 0.0886 0.1753 0.2619 0.3486
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.2033 -0.1016 0.0000 0.1016 0.2033
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.015 0.000 0.015
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.289 0.644 1.000 2.230 3.460
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_DMS (Apr2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_HMS (Apr2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.006 0.012 0.018
ppb

14.3.0-rc.0 (Dev)
c24




0.006 0.012 0.018
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.006 0.000 0.006
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.0006 0.0000 0.0006
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.12 0.56 1.00 4.65 8.30
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVW_MSA (Apr2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_OCS (Apr2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_SO2 (Apr2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0001 0.0544 0.1086 0.1629 0.2171
ppb

14.3.0-rc.0 (Dev)
c24




0.0001 0.0544 0.1086 0.1629 0.2171
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.144 -0.072 0.000 0.072 0.144
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.003 0.000 0.003
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-01 1 10
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


SpeciesConcVV_SO4 (Apr2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0017 0.0637 0.1257 0.1877 0.2498
ppb

14.3.0-rc.0 (Dev)
c24




0.0017 0.0637 0.1257 0.1877 0.2498
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.1375 -0.0688 0.0000 0.0688 0.1375
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.01 0.00 0.01
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.357 0.678 1.000 1.902 2.804
unitless

Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless