



SpeciesConcVV_SOx (Jan2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0028 0.1462 0.2897 0.4331 0.5765
ppb

14.3.0-rc.0 (Dev)
c24




0.0028 0.1462 0.2897 0.4331 0.5765
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.3291 -0.1645 0.0000 0.1645 0.3291
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.015 0.000 0.015
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.250 0.625 1.000 2.502 4.004
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_DMS (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_HMS (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_MSA (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_OCS (Jan2019)


14.3.0-rc.0 (Ref)
4.0x5.0




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_SO2 (Jan2019)

14.3.0-rc.0 (Ref)
4.0x5.0



0.0001 0.1270 0.2538 0.3807 0.5075
ppb

14.3.0-rc.0 (Dev)
c24




0.0001 0.1270 0.2538 0.3807 0.5075
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.322 -0.161 0.000 0.161 0.322
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.008 0.000 0.008
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



1e-01 1 10
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


SpeciesConcVV_SO4 (Jan2019)

14.3.0-rc.0 (Ref)
4.0x5.0




0.0026 0.0884 0.1742 0.2600 0.3458
ppb

14.3.0-rc.0 (Dev)
c24




0.0026 0.0884 0.1742 0.2600 0.3458
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.2137 -0.1068 0.0000 0.1068 0.2137
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.008 0.000 0.008
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.247 0.623 1.000 2.528 4.056
unitless

Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless