



EmisACET_Biogenic (Oct2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisALD2_Biogenic (Oct2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisC2H4_Biogenic (Oct2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





EmisEOH_Biogenic (Oct2019)


14.2.0-rc.2 (Ref)
c24





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisSOP_Biogenic (Oct2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisLIMO_Biogenic (Oct2019)

14.2.0-rc.2 (Ref)
c24



0.0 0.4 0.8 1.2 $1e-11$
kg/m²/s

14.3.0-rc.0 (Dev)
c24



0.0 0.4 0.8 1.2 $1e-11$
kg/m²/s

Difference (1x1.25)
Dev - Ref, Dynamic Range




Zero throughout domain
kg/m²/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




Zero throughout domain
kg/m²/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ref and Dev equal throughout domain
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



Ref and Dev equal throughout domain
unitless


EmisMOH_Biogenic (Oct2019)

14.2.0-rc.2 (Ref)
c24



0.0 0.4 0.8 1.2
kg/m²/s 1e-10

14.3.0-rc.0 (Dev)
c24



0.0 0.4 0.8 1.2
kg/m²/s 1e-10

Difference (1x1.25)
Dev - Ref, Dynamic Range




Zero throughout domain
kg/m²/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




Zero throughout domain
kg/m²/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ref and Dev equal throughout domain
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



Ref and Dev equal throughout domain
unitless


EmisMTPA_Biogenic (Oct2019)

14.2.0-rc.2 (Ref)
c24



0.0 0.6 1.2 1.8 $1e-10$
kg/m2/s

14.3.0-rc.0 (Dev)
c24



0.0 0.6 1.2 1.8 $1e-10$
kg/m2/s

Difference (1x1.25)
Dev - Ref, Dynamic Range




Zero throughout domain
kg/m2/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




Zero throughout domain
kg/m2/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ref and Dev equal throughout domain
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



Ref and Dev equal throughout domain
unitless


EmisMTPO_Biogenic (Oct2019)

14.2.0-rc.2 (Ref)
c24



0.0 0.4 0.8 1.2
kg/m²/s 1e-10

14.3.0-rc.0 (Dev)
c24



0.0 0.4 0.8 1.2
kg/m²/s 1e-10

Difference (1x1.25)
Dev - Ref, Dynamic Range




Zero throughout domain
kg/m²/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




Zero throughout domain
kg/m²/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ref and Dev equal throughout domain
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



Ref and Dev equal throughout domain
unitless


EmisPRPE_Biogenic (Oct2019)

14.2.0-rc.2 (Ref)
c24



0.0 0.8 1.6 2.4
kg/m²/s 1e-11

14.3.0-rc.0 (Dev)
c24



0.0 0.8 1.6 2.4
kg/m²/s 1e-11

Difference (1x1.25)
Dev - Ref, Dynamic Range




Zero throughout domain
kg/m²/s

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




Zero throughout domain
kg/m²/s

Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ref and Dev equal throughout domain
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




Ref and Dev equal throughout domain
unitless

EmisSOAP_Biogenic (Oct2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




EmisSOAS_Biogenic (Oct2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ratio (1x1.25)
Dev/Ref, Fixed Range

