



SpeciesConcVV_H2O2 (Jan2019)

14.2.0-rc.2 (Ref)
c24




0.059 0.499 0.939 1.379 1.819
ppb

14.3.0-rc.0 (Dev)
c24




0.059 0.499 0.939 1.379 1.819
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.025 0.000 0.025
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



-0.006 0.000 0.006
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.97226 0.98613 1.00000 1.01426 1.02853
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


SpeciesConcVV_H (Jan2019)

14.2.0-rc.2 (Ref)
c24




2.5 5.0 7.5
ppb $1e-12$

14.3.0-rc.0 (Dev)
c24




2.5 5.0 7.5
ppb $1e-12$

Difference (1x1.25)
Dev - Ref, Dynamic Range



-1 0 1
ppb $1e-12$

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



-6 0 6
ppb $1e-13$

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.8198 0.9099 1.0000 1.1099 1.2198
unitless



Ratio (1x1.25)
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVW_H2 (Jan2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_H2O (Jan2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_HO2 (Jan2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_01D (Jan2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_OH (Jan2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_RO2 (Jan2019)

14.2.0-rc.2 (Ref)
c24




0.006 0.012 0.018
ppb

14.3.0-rc.0 (Dev)
c24




0.006 0.012 0.018
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.0004 0.0000 0.0004
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



-0.0001 0.0000 0.0001
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.96366 0.98183 1.00000 1.01886 1.03771
unitless

Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless