



SpeciesConcVV_H2O2 (Jan2019)

14.2.0-rc.2 (Ref)
c24




0.000 0.815 1.630 2.445 3.260
ppb

14.3.0-rc.0 (Dev)
c24




0.000 0.815 1.630 2.445 3.260
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.0554 -0.0277 0.0000 0.0277 0.0554
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.008 0.000 0.008
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.8317 0.9158 1.0000 1.1012 1.2024
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_H (Jan2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVW_H2 (Jan2019)



14.2.0-rc.2 (Ref)
c24





14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_H2O (Jan2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_HO2 (Jan2019)

14.2.0-rc.2 (Ref)
c24




0.005 0.010 0.015
ppb

14.3.0-rc.0 (Dev)
c24




0.005 0.010 0.015
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.00025 0.00000 0.00025
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.00015 0.00000 0.00015
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.7825 0.8913 1.0000 1.1389 1.2779
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_01D (Jan2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_OH (Jan2019)

14.2.0-rc.2 (Ref)
c24




0.00006 0.00012 0.00018
ppb

14.3.0-rc.0 (Dev)
c24




0.00006 0.00012 0.00018
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-6 0 6
ppb $1e-6$

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5
ppb $1e-6$

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.8153 0.9077 1.0000 1.1132 1.2265
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_RO2 (Jan2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ratio (1x1.25)
Dev/Ref, Fixed Range

