



SpeciesConcVV_H2O2 (Jul2019)

14.2.0-rc.2 (Ref)
c24




0.045 0.487 0.930 1.372 1.815
ppb

14.3.0-rc.0 (Dev)
c24




0.045 0.487 0.930 1.372 1.815
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.025 0.000 0.025
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



-0.006 0.000 0.006
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.97073 0.98537 1.00000 1.01508 1.03015
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_H (Jul2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





SpeciesConcVV_H2 (Jul2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24





Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_H2O (Jul2019)

14.2.0-rc.2 (Ref)
c24




2.5 5.0 7.5
ppb 1e6

14.3.0-rc.0 (Dev)
c24



2.5 5.0 7.5
ppb 1e6

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.250 -0.125 0.000 0.125 0.250
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-1.0 -0.5 0.0 0.5 1.0
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.9999998884 1.000000000 1.00000011160.50
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_HO2 (Jul2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_01D (Jul2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_OH (Jul2019)

14.2.0-rc.2 (Ref)
c24




0.00015 0.00030
ppb

14.3.0-rc.0 (Dev)
c24




0.00015 0.00030
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-1.5 0.0 1.5
ppb 1e-5

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



-2 0 2
ppb 1e-6

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.9164 0.9582 1.000 1.0456 1.0912
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_RO2 (Jul2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ratio (1x1.25)
Dev/Ref, Fixed Range

