



SpeciesConcVV_H2O2 (Oct2019)

14.2.0-rc.2 (Ref)
c24




0.106 0.579 1.053 1.526 2.000
ppb

14.3.0-rc.0 (Dev)
c24




0.106 0.579 1.053 1.526 2.000
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.0532 -0.0266 0.0000 0.0266 0.0532
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



-0.008 0.000 0.008
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.97136 0.98568 1.00000 1.01474 1.02949
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVW_H (Oct2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range





Ratio (1x1.25)
Dev/Ref, Fixed Range





SpeciesConcVV_H2 (Oct2019)


14.2.0-rc.2 (Ref)
c24





14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVW_H2O (Oct2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVW_HO2 (Oct2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVW_01D (Oct2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_OH (Oct2019)

14.2.0-rc.2 (Ref)
c24




0.00008 0.00016 0.00024
ppb

14.3.0-rc.0 (Dev)
c24




0.00008 0.00016 0.00024
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-6 0 6
ppb $1e-6$

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-1.5 0.0 1.5
ppb $1e-6$

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.95890 0.97945 1.00000 1.02143 1.04286
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


SpeciesConcVV_R02 (Oct2019)

14.2.0-rc.2 (Ref)
c24




0.006 0.012 0.018
ppb

14.3.0-rc.0 (Dev)
c24




0.006 0.012 0.018
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.0004 0.0000 0.0004
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



-0.0001 0.0000 0.0001
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.97428 0.98714 1.00000 1.01320 1.02640
unitless

Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless