



SpeciesConcVV_SOx (Jul2019)

14.2.0-rc.2 (Ref)
c24




0.0020 0.1431 0.2842 0.4253 0.5664
ppb

14.3.0-rc.0 (Dev)
c24




0.0020 0.1431 0.2842 0.4253 0.5664
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.002 0.000 0.002
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



-0.0002 0.0000 0.0002
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.97806 0.98903 1.00000 1.01122 1.02243
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


SpeciesConcVV_DMS (Jul2019)

14.2.0-rc.2 (Ref)
c24




0.0000 0.0302 0.0605 0.0907 0.1209
ppb

14.3.0-rc.0 (Dev)
c24




0.0000 0.0302 0.0605 0.0907 0.1209
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.0006 0.0000 0.0006
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.0005 0.0000 0.0005
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.8590 0.9295 1.0000 1.0821 1.1642
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_HMS (Jul2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_MSA (Jul2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_OCS (Jul2019)

14.2.0-rc.2 (Ref)
c24




0.4960 0.4975 0.4990
ppb

14.3.0-rc.0 (Dev)
c24




0.4960 0.4975 0.4990
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range



-0.00015 0.00000 0.00015
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-0.0001 0.0000 0.0001
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.99998466 1.0000000 1.00001534
unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

SpeciesConcVV_SO2 (Jul2019)


14.2.0-rc.2 (Ref)
c24




14.3.0-rc.0 (Dev)
c24




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




SpeciesConcVV_SO4 (Jul2019)

14.2.0-rc.2 (Ref)
c24




0.0019 0.1428 0.2838 0.4247 0.5657
ppb

14.3.0-rc.0 (Dev)
c24




0.0019 0.1428 0.2838 0.4247 0.5657
ppb

Difference (1x1.25)
Dev - Ref, Dynamic Range




-0.002 0.000 0.002
ppb

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



-0.0002 0.0000 0.0002
ppb

Ratio (1x1.25)
Dev/Ref, Dynamic Range



0.98277 0.99139 1.00000 1.00877 1.01753
unitless

Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless