



WetLossConv_Be10 (AnnualMean)


GCC 14.2.2 (Ref), Normalized by Area
4.0x5.0




GCHP 14.2.2 using wind (Dev), Normalized by Area
c30




Difference (1x1.25)
Dev - Ref, Dynamic Range




Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




WetLossConv_Be10s (AnnualMean)

GCC 14.2.2 (Ref), Normalized by Area
4.0x5.0




0.0 0.4 0.8 1.2
kg s-1 m-2 1e-24

GCHP 14.2.2 using wind (Dev), Normalized by Area
c30




0.0 0.4 0.8 1.2
kg s-1 m-2 1e-24

Difference (1x1.25)
Dev - Ref, Dynamic Range




-8 0 8
kg s-1 m-2 1e-25

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-3 0 3
kg s-1 m-2 1e-26

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless



Ratio (1x1.25)
Dev/Ref, Fixed Range





0.50 0.75 1.00 1.50 2.00
unitless

WetLossConv_Be7 (AnnualMean)



GCC 14.2.2 (Ref), Normalized by Area
4.0x5.0





GCHP 14.2.2 using wind (Dev), Normalized by Area
c30




Difference (1x1.25)
Dev - Ref, Dynamic Range





Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range




Ratio (1x1.25)
Dev/Ref, Fixed Range




WetLossConv_Be7s (AnnualMean)

GCC 14.2.2 (Ref), Normalized by Area
4.0x5.0




0.0 0.4 0.8 1.2
kg s-1 m-2 $1e-25$

GCHP 14.2.2 using wind (Dev), Normalized by Area
c30




0.0 0.4 0.8 1.2
kg s-1 m-2 $1e-25$

Difference (1x1.25)
Dev - Ref, Dynamic Range




-6 0 6
kg s-1 m-2 $1e-26$

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-2.5 0.0 2.5
kg s-1 m-2 $1e-27$

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range



0.50 0.75 1.00 1.50 2.00
unitless


WetLossConv_Pb210 (AnnualMean)

GCC 14.2.2 (Ref), Normalized by Area
4.0x5.0




0.0 0.8 1.6 2.4
kg s-1 m-2 1e-22

GCHP 14.2.2 using wind (Dev), Normalized by Area
c30




0.0 0.8 1.6 2.4
kg s-1 m-2 1e-22

Difference (1x1.25)
Dev - Ref, Dynamic Range




-1 0 1
kg s-1 m-2 1e-22

Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]




-3 0 3
kg s-1 m-2 1e-24

Ratio (1x1.25)
Dev/Ref, Dynamic Range



unitless


Ratio (1x1.25)
Dev/Ref, Fixed Range




0.50 0.75 1.00 1.50 2.00
unitless

WetLossConv_Pb210s (AnnualMean)


GCC 14.2.2 (Ref), Normalized by Area
4.0x5.0




GCHP 14.2.2 using wind (Dev), Normalized by Area
c30




Difference (1x1.25)
Dev - Ref, Dynamic Range



Difference (1x1.25)
Dev - Ref, Restricted Range [5%,95%]



Ratio (1x1.25)
Dev/Ref, Dynamic Range



Ratio (1x1.25)
Dev/Ref, Fixed Range

