
Cumulative NEE in TAPAJOS: km67.1 v. km83
km67.1, U* filtered
km67.1, no filter
km83 filtered
km83, no filter
% removed km67
all= 33.14 night= 59.53
% removed km83
37.93 night= 68.36
Cumulative NEE(kg C/ha)
0
200
400
600
130
140
150
160
170
180
190
Day of year (1/1/2001 = 1)
U* Filtered
U* unfiltered
Difference
km83 - km67.1 (kg C/
-200
0
Day of year (1/1/2001 = 1)
km67.1
km83
Difference
Filtered - Unfiltered
0
200
600
Day of year (1/1/2001 = 1)


Cumulative DAYTIME NEE in TAPAJOS: km67.1 v. km83
Cumulative DAYTIME NEE(kg C/ha)
0
-500
-1000
-1500
% removed km67
all= 33.14 night= 59.53
% removed km83
37.93 night= 68.36
km67.1, U* filtered
km67.1, no filter
km83 filtered
km83, no filter
130
140
150
160
170
180
190
Day of year (1/1/2001 = 1)
Difference
km83 - km67.1 (kg C/
0
-200
-400
U* Filtered
U* unfiltered
130
140
150
160
170
180
190
Day of year (1/1/2001 = 1)
Difference
Filtered - Unfiltered
0
-60
-120
km67.1
km83
130
140
150
160
170
180
190
Day of year (1/1/2001 = 1)


Cumulative NIGHTTIME NEE in TAPAJOS: km67.1 v. km83
Cumulative NIGHTTIME NEE(kg C/ha)
0
500
1000
1500
2000
2500
km67.1, U* filtered
km67.1, no filter
km83 filtered
km83, no filter
% removed km67
all= 33.14 night= 59.53
% removed km83
37.93 night= 68.36
130
140
150
160
170
180
190
Day of year (1/1/2001 = 1)


Difference
km83 - km67.1 (kg C/
0
200
400
U* Filtered
U* unfiltered
130
140
150
160
170
180
190
Day of year (1/1/2001 = 1)


Difference
Filtered - Unfiltered
0
200
600
km67.1
km83
130
140
150
160
170
180
190
Day of year (1/1/2001 = 1)